

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

**1 Identification****Product identifier****Product name:** Sulfuric acid, 6.0N Standardized Solution**Stock number:** 35610**Index number:** 016-020-00-8**Relevant identified uses of the substance or mixture and uses advised against.****Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency telephone number:**

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

**2 Hazard(s) identification****Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

C; Corrosive

R35: Causes severe burns.

**Information concerning particular hazards for human and environment:** Not applicable**Hazards not otherwise classified** No information known.**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labeled according to the CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger**Hazard-determining components of labeling:**

Sulfuric acid

**Hazard statements**

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**WHMIS classification**

D2B - Toxic material causing other toxic effects

E - Corrosive material



(Contd. on page 2)

USA

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

**Product name: Sulfuric acid, 6.0N Standardized Solution**

(Contd. of page 1)

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	0
REACTIVITY	2

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 2

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Mixtures****Dangerous components:**

7664-93-9	Sulfuric acid	29.4%
-----------	---------------	-------

**Additional information** None known.**Non-Hazardous Ingredients**

7732-18-5	Water	70.6%
-----------	-------	-------

**4 First-aid measures****Description of first aid measures****General information** Immediately remove any clothing soiled by the product.**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.**Information for doctor****Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents**

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

**For safety reasons unsuitable extinguishing agents** Water**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Sulfur oxides (SOx)

**Advice for firefighters****Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

USA

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

**Product name: Sulfuric acid, 6.0N Standardized Solution**

(Contd. of page 2)

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling****Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:** No information known.**Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:**

Store away from strong bases.

Store away from oxidizing agents.

Store away from reducing agents.

Store away from metal powders.

Store away from halogens.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters****Components with limit values that require monitoring at the workplace:****7664-93-9 Sulfuric acid (29.4%)**

PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m <sup>3</sup> ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m <sup>3</sup>

**Additional information:** No data**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

**Eye protection:**

Tightly sealed goggles

Full face protection

**Body protection:** Protective work clothing.

USA

(Contd. on page 4)

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

Product name: Sulfuric acid, 6.0N Standardized Solution

(Contd. of page 3)

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

**Form:** Liquid  
**Color:** Colorless to pale yellow  
**Odor:** Acrid  
**Odor threshold:** Not determined.

**pH-value:** Not determined.

**Change in condition**

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous)** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Not determined.  
**Explosion limits:**  
**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)  
**Density:** Not determined  
**Relative density** Not determined.  
**Vapor density** Not determined.  
**Evaporation rate** Not determined.  
**Solubility in / Miscibility with**  
**Water:** Fully miscible  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not determined.  
**kinematic:** Not determined.

**Solvent content:**  
**Organic solvents:** 0.0 %  
**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions**

When diluting, always add acid to water, never vice versa

Reacts with metals forming hydrogen

Water reacts violently with alkali metals.

Reacts with strong oxidizing agents

**Incompatible materials:**

Bases

Oxidizing agents

Reducing agents

Metal powders

Halogens

Cyanides

Sulfides

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

**Hazardous decomposition products:** Sulfur oxides (SO<sub>x</sub>)

**11 Toxicological information****Information on toxicological effects****Acute toxicity:**

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

**LD/LC50 values that are relevant for classification:** No data

(Contd. on page 5)

- USA

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

**Product name: Sulfuric acid, 6.0N Standardized Solution**

(Contd. of page 4)

**Skin irritation or corrosion:** Causes severe skin burns.**Eye irritation or corrosion:** Causes serious eye damage.**Sensitization:** No sensitizing effects known.**Germ cell mutagenicity:**

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

**Carcinogenicity:**

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:**

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

**Specific target organ system toxicity - repeated exposure:** No effects known.**Specific target organ system toxicity - single exposure:** No effects known.**Aspiration hazard:** No effects known.**Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The following cancer warnings refer to sulfuric acid in strong inorganic acid mists. The warnings do not refer to sulfuric acid or sulfuric acid solutions: IARC-1, NTP-K, TLV-A2.

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Danger to drinking water if even small quantities leak into the ground.

Avoid transfer into the environment.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information****UN-Number**

DOT, ADR, IMDG, IATA

UN2796

**UN proper shipping name**

DOT

Sulfuric acid

ADR

2796 Sulfuric acid

IMDG, IATA

SULPHURIC ACID

**Transport hazard class(es)**

DOT

**Class**

8 Corrosive substances.

(Contd. on page 6)

USA

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

Product name: Sulfuric acid, 6.0N Standardized Solution

(Contd. of page 5)

Label 8  
ADR



Class 8 (C1) Corrosive substances  
Label 8  
IMDG, IATA



Class 8 Corrosive substances.  
Label 8

Packing group II  
DOT, ADR, IMDG, IATA

Environmental hazards:  
Marine pollutant (IMDG): No

Special precautions for user Warning: Corrosive substances  
Danger code (Kemler): 80  
EMS Number: F-A,S-B  
Segregation groups Acids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT  
Marine Pollutant (DOT): No

UN "Model Regulation": UN2796, Sulfuric acid, 8, II

**15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)**

7664-93-9	Sulfuric acid	29.4%
-----------	---------------	-------

**California Proposition 65****Prop 65 - Chemicals known to cause cancer**

None of the ingredients are listed.

**Prop 65 - Developmental toxicity**

None of the ingredients are listed.

**Prop 65 - Developmental toxicity, female**

None of the ingredients are listed.

**Prop 65 - Developmental toxicity, male**

None of the ingredients are listed.

**Information about limitation of use:**

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

**REACH - Pre-registered substances**

All ingredients are listed.

(Contd. on page 7)

USA

**Safety Data Sheet**

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 06/12/2012

**Product name: Sulfuric acid, 6.0N Standardized Solution**

(Contd. of page 6)

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Health, Safety and Environmental Department.**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA